

เอกสารข้อมูลผลิตภัณฑ์

ข้อมูลจำเพาะ



Safety switch, general duty, fusible,
200A, 2 pole, 60hp, 240VAC, NEMA
1, neutral factory installed

D224N

Main

Product	Single Throw Safety Switch
Duty Rating	General duty
Device application	Residential
Disconnect Type	Fusible disconnect switch
Factory Installed Neutral	Neutral (factory installed)
Number of Poles	2
Current Rating	200 A
Voltage Rating	240 V AC
Enclosure Rating NEMA	NEMA 1
Motor power hp	15 hp at 240 V AC 60 Hz for 1 phase motors 25 hp at 240 V AC 60 Hz for 3 phases motors 60 hp at 240 V AC 60 Hz for 3 phases motors

Complementary

Short Circuit Current Rating	100 kA maximum depending on fuse H, K or R
Fuse type	H, K or R
Mounting Type	Surface
Electrical Connection	Lugs
Wiring configuration	3-wire
Wire Size	AWG 6...250 kcmil aluminium/copper
Tightening torque	31.07 N.m (AWG 6...250 kcmil)
Depth	209.55 mm
Width	482.6 mm
Height	736.6 mm
Net weight	24.27 kg

Environment

Certifications	UL listed file E2875
----------------	----------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	20.574 cm

การละสิทธิ์: เอกสารนี้ไม่มีวัตถุประสงค์เพื่อใช้แทน หรือใช้เพื่อกำหนดความเหมาะสม หรือความน่าเชื่อถือของผลิตภัณฑ์ในด้านการใช้งานเฉพาะทาง

Package 1 Width	77.47 cm
Package 1 Length	49.022 cm
Package 1 Weight	18.96 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

ชไนเดอร์ อิเล็คทริคมีเป้าหมายที่จะบรรลุสถานะ Net Zero ภายในปี 2050 ด้วยความร่วมมือในห่วงโซ่อุปทาน วัสดุที่มีผลกระทบต่ำลง และการหมุนเวียนผ่านแคมเปญ "Use Better, Use Longer, Use Again" เพื่อยืดอายุการใช้งานของผลิตภัณฑ์และการนำกลับมาใช้ใหม่

Environmental Data คืออะไร >

วิธีประเมินความยั่งยืนของผลิตภัณฑ์ >

🌱 ฟุตพริ้นต์ด้านสิ่งแวดล้อม	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	177
Environmental Disclosure	Product Environmental Profile

Use Better

♻️ วัสดุและบรรจุภัณฑ์	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
PVC free	Yes

Use Again

🔄 ติดตั้งใหม่และผลิตใหม่	
Circularity Profile	No need of specific recycling operations
Take-back	No