

เอกสารข้อมูลผลิตภัณฑ์

ข้อมูลจำเพาะ



Safety switch, VisiPacT, heavy duty, fused, viewing window, NEMA 1, 600V, 30A, 3 pole

VH361

Main

Product	Single Throw Safety Switch
Duty Rating	Heavy duty
Device application	Heavy application
Disconnect Type	Fusible disconnect
Factory Installed Neutral	Field installed kit available
Number of Poles	3
Current Rating	30 A
Voltage Rating	600 V AC/DC
Enclosure Rating	NEMA 1 steel
Motor power hp	5 hp at 480 V AC 50...60 Hz for 3 phases motors 15 hp at 480 V AC 50...60 Hz for 3 phases motors 7.5 hp at 600 V AC 50...60 Hz for 3 phases motors 20 hp at 600 V AC 50...60 Hz for 3 phases motors 15 hp at 600 V DC

Complementary

Short-circuit current	10 kA for H, K, J or R without fuse rejection clips 200 kA for R with fuse rejection clips 200 kA for J
Fuse type	H or K R or J
Mounting Type	Surface
Electrical Connection	Lugs
Wiring configuration	3-wire
Wire Size	AWG 12...AWG 6 aluminium AWG 14...AWG 6 copper
Tightening torque	5.08 N.m for 13.3 mm ² (AWG 6) 4.5 N.m for 8.367 mm ² (AWG 8) 4.0 N.m for 2.06...5.261 mm ² (AWG 14...AWG 10)
Depth	129.79 mm
Width	161.54 mm
Height	370.08 mm
Net weight	4.09 kg
Grounding Kit	Field installed kit available
Service Entrance	Suitable service entrance for USA Suitable service entrance for Mexico

การแปลสิทธิ์: เอกสารนี้ไม่มีวัตถุประสงค์เพื่อใช้แทน หรือใช้เพื่อกำหนดความเหมาะสม หรือความน่าเชื่อถือของผลิตภัณฑ์เหล่านี้สำหรับการใช้งานเฉพาะทาง

Environment

Certifications	UL listed file E2875
Standards	UL98 CSA C22.2 No 4 NOM-003-SCFI-2000

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.7 cm
Package 1 Width	19.05 cm
Package 1 Length	39.687 cm
Package 1 Weight	4 kg

Environmental Data

ชไนเดอร์ อิเล็คทริคมีเป้าหมายที่จะบรรลุสถานะ Net Zero ภายในปี 2050 ด้วยความร่วมมือในห่วงโซ่อุปทาน วัสดุที่มีผลกระทบต่ำลง และการหมุนเวียนผ่านแคมเปญ "Use Better, Use Longer, Use Again" เพื่อยืดอายุการใช้งานของผลิตภัณฑ์และการนำกลับมาใช้ใหม่

[Environmental Data คืออะไร >](#)

[วิธีประเมินความยั่งยืนของผลิตภัณฑ์ >](#)

🌱 ฟุตพริ้นต์ด้านสิ่งแวดล้อม	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	37
Environmental Disclosure	Product Environmental Profile

Use Better

♻️ วัสดุและบรรจุภัณฑ์	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration

Use Again

🔄 ติดตั้งใหม่และผลิตใหม่	
Circularity Profile	No need of specific recycling operations
Take-back	No